



DRILLING DOWN

Regulation Lax as Gas Wells' Tainted Water Hits Rivers



Kevin Moloney for The New York Times

Wells for extracting natural gas, like these in Colorado, are a growing source of energy but can also pose hazards.

By IAN URBINA

Published: February 26, 2011 | 347 Comments

The American landscape is dotted with hundreds of thousands of new wells and drilling rigs, as the country scrambles to tap into this century's gold rush — for [natural gas](#).

Drilling Down

The Waste Problem

Articles in this series will examine the risks of natural-gas drilling and efforts to regulate this rapidly growing industry.

[Complete Series »](#)

Questions, additional information or related tips can be sent to urbina@nytimes.com.

Multimedia

Environmentalists say using natural gas will help slow [climate change](#) because it burns more cleanly than coal and [oil](#). Lawmakers hail the gas as a source of jobs. They also see it

The gas has always been there, of course, trapped deep underground in countless tiny bubbles, like frozen spills of seltzer water between thin layers of shale rock. But drilling companies have only in recent years developed techniques to unlock the enormous reserves, thought to be enough to supply the country with gas for heating buildings, generating electricity and powering vehicles for up to a hundred years.

So energy companies are clamoring to drill. And they are getting rare support from their usual sparring partners.

- FACEBOOK
- TWITTER
- GOOGLE+
- EMAIL
- SHARE
- PRINT
- REPRINTS



Log in to see what your friends are sharing on nytimes.com. [Log In With Facebook](#) [Privacy Policy](#) | [What's This?](#)

What's Popular Now

Encore, for the Norwegian Curlers and Their Pants



Ukraine Tracks Protesters Through Cellphones



MOST EMAILED

RECOMMENDED FOR YOU



1. Police and Protesters in Ukraine Escalate Use of Force

2. EDITORIAL Ukrainian Standoff



3. Sweeping New Restrictions Take Aim at Protesters Camped Out in Kiev



4. Video: Times Minute | Deadly Protests in Kiev



5. Unrest Deepens in Ukraine as Protests Turn Deadly




6. Video: Violent Protests in Ukraine

7. Video: Protests in Kiev Turn Violent




Natural Gas and Polluted Air




Interactive Feature

Extracting Natural Gas From Rock



Interactive Feature

Toxic Contamination From Natural Gas Wells



Documents: Natural Gas's Toxic Waste

Related

Spreadsheet: Contaminants in Samples From More Than 200 Wells (Microsoft Excel File)

Connect With Us on Twitter

Follow @NYTNational for breaking news and headlines.

Twitter List: Reporters and Editors

Enlarge This Image



Todd Heisler/The New York Times

Thousands of wells like this one outside Pittsburgh extract gas by injecting huge amounts of water.

Enlarge This Image

as a way to wean the United States from its dependency on other countries for oil.

But the relatively new drilling method — known as high-volume horizontal hydraulic fracturing, or hydrofracking — carries significant environmental risks. It involves injecting huge amounts of water, mixed with sand and chemicals, at high pressures to break up rock formations and release the gas.

With hydrofracking, a well can produce over a million gallons of wastewater that is often laced with highly corrosive salts, carcinogens like benzene and radioactive elements like radium, all of which can occur naturally thousands of feet underground. Other carcinogenic materials can be added to the wastewater by the chemicals used in the hydrofracking itself.

While the existence of the toxic wastes has been reported, thousands of internal documents obtained by The New York Times from the Environmental Protection Agency, state regulators and drillers show that the dangers to the environment and health are greater than previously understood.

The documents reveal that the wastewater, which is sometimes hauled to sewage plants not designed to treat it and then discharged into rivers that supply drinking water, contains radioactivity at levels higher than previously known, and far higher than the level that federal regulators say is safe for these treatment plants to handle.

Other documents and interviews show that many E.P.A. scientists are alarmed, warning that the drilling waste is a threat to drinking water in Pennsylvania. Their concern is based partly on a 2009 study, never made public, written by an E.P.A. consultant who concluded that some sewage treatment plants were incapable of removing certain drilling waste contaminants and were probably violating the law.

The Times also found never-reported studies by the E.P.A. and a confidential study by the drilling industry that all concluded that radioactivity in drilling waste cannot be fully diluted in rivers and other waterways.

But the E.P.A. has not intervened. In fact, federal and state regulators are allowing most sewage treatment plants that accept drilling waste not to test for radioactivity. And most drinking-water intake plants downstream from those sewage treatment plants in Pennsylvania, with the blessing of regulators, have not tested for radioactivity since before 2006, even though the drilling boom began in 2008.



8. Ukraine's Opposition Says Government Stirs Violence



9. Video: A Tale of Two Protesters



10. LISTENING POST A Bill Stokes Debate, and Doubt, on Iran Deal

Log in to discover more articles based on what you've read.



Log In

Register Now

f Log In

What's This? | Don't Show



Watch Now: Vows | The surprise wedding

ALSO IN VIDEO »

Watch: The Read Around | Rebecca Mead

Watch: Bill Cunningham | Check mates

nytimes.com

VIDEO

Advertisement for The New York Times Home Delivery + FREE ALL DIGITAL ACCESS SAVE 50%

Ads by Google

what's this?

Oil and Gas Lease Law

Marcellus Shale oil & gas leases explained. Free legal consultation. www.marcellusexpert.com



Todd Heisler/The New York Times

Wastewater, which can have radioactive contaminants and corrosive salts, is transferred from a holding pond to a truck.

[Enlarge This Image](#)



Todd Heisler/The New York Times

Much wastewater goes to treatment plants like this one at the Monongahela southeast of Pittsburgh, then into rivers.

Readers' Comments

Share your thoughts.

[Read All Comments \(347\)](#) »

In other words, there is no way of guaranteeing that the drinking water taken in by all these plants is safe.

That has experts worried.

“We’re burning the furniture to heat the house,” said John H. Quigley, who left last month as secretary of Pennsylvania’s Department of Conservation and Natural Resources. “In shifting away from coal and toward natural gas, we’re trying for cleaner air, but we’re producing massive amounts of toxic wastewater with salts and naturally occurring radioactive materials, and it’s not clear we have a plan for properly handling this waste.”

The risks are particularly severe in Pennsylvania, which has seen a sharp increase in drilling, with roughly 71,000 active gas wells, up from about 36,000 in 2000. The level of radioactivity in the wastewater has sometimes been hundreds or even thousands of times the maximum allowed by the federal standard for drinking water. While people clearly do not drink drilling wastewater, the reason to use the drinking-water standard for comparison is that there is no comprehensive federal standard for what constitutes safe levels of radioactivity in drilling wastewater.

Drillers trucked at least half of this waste to public sewage treatment plants in Pennsylvania in 2008 and 2009, according to state officials. Some of it has been sent to other states, including [New York](#) and [West Virginia](#).

Yet sewage treatment plant operators say they are far less capable of removing radioactive contaminants than most other toxic substances. Indeed, most of these facilities cannot remove enough of the radioactive material to meet federal drinking-water standards before discharging the wastewater into rivers, sometimes just miles upstream from drinking-water intake plants.

In Pennsylvania, these treatment plants discharged waste into some of the state’s major river basins. Greater amounts of the wastewater went to the Monongahela River, which provides drinking water to more than [800,000 people](#) in the western part of the state, including Pittsburgh, and to the Susquehanna River, which feeds into Chesapeake Bay and provides drinking water to more than six million people, including some in Harrisburg and Baltimore.

Lower amounts have been discharged into the Delaware River, which provides drinking water for more than 15 million people in Philadelphia and eastern Pennsylvania.

In [New York](#), the wastewater was sent to at least one plant that discharges into Southern Cayuga Lake, near Ithaca, and another that discharges into Owasco Outlet, near Auburn. In [West Virginia](#), a plant in Wheeling discharged gas-drilling wastewater into the Ohio River.

“Hydrofracking impacts associated with health problems as well as widespread air and water contamination have been reported in at least a dozen states,” said Walter Hang, president of Toxics Targeting, a business in Ithaca, N.Y., that compiles data on gas drilling.

Problems in Other Regions

While Pennsylvania is an extreme case, the [risks](#) posed by hydrofracking extend across the country.

There were more than 493,000 active natural-gas wells in the United States in 2009, almost double the number in 1990. Around 90 percent have used hydrofracking to get more gas flowing, according to the drilling industry.

Gas has seeped into underground drinking-water supplies in at least five states, including Colorado, Ohio, Pennsylvania, Texas and West Virginia, and residents blamed natural-gas drilling.

Air pollution caused by natural-gas drilling is a growing threat, too. Wyoming, for example, failed in 2009 to meet federal standards for air quality for the first time in its history partly because of the fumes containing benzene and toluene from roughly 27,000 wells, the vast majority drilled in the past five years.

In a sparsely populated Sublette County in Wyoming, which has some of the highest concentrations of wells, vapors reacting to sunlight have contributed to levels of ozone higher than those recorded in Houston and Los Angeles.

Industry officials say any dangerous waste from the wells is handled in compliance with state and federal laws, adding that drilling companies are recycling more wastewater now. They also say that hydrofracking is well regulated by the states and that it has been used safely for decades.

But hydrofracking technology has become more powerful and more widely used in recent years, producing far more wastewater. Some of the problems with this drilling, including its environmental impact and the challenge of disposing of waste, have been documented by ProPublica, The Associated Press and other news organizations, especially out West.

And recent incidents underscore the dangers. In late 2008, drilling and coal-mine waste released during a drought so overwhelmed the Monongahela that local officials advised people in the Pittsburgh area to drink [bottled water](#). E.P.A. officials described the incident in an internal memorandum as "one of the largest failures in U.S. history to supply clean drinking water to the public."

In Texas, which now has about 93,000 natural-gas wells, up from around 58,000 a dozen years ago, a hospital system in six counties with some of the heaviest drilling said in 2010 that it found a 25 percent asthma rate for young children, more than three times the state rate of about 7 percent.

"It's ruining us," said Kelly Gant, whose 14-year-old daughter and 11-year-old son have experienced severe asthma attacks, dizzy spells and headaches since a compressor station and a gas well were set up about two years ago near her house in Bartonville, Tex. The industry and state regulators have said it is not clear what role the gas industry has played in causing such problems, since the area has had high air pollution for a while.

"I'm not an activist, an alarmist, a Democrat, environmentalist or anything like that," Ms. Gant said. "I'm just a person who isn't able to manage the health of my family because of all this drilling."

And yet, for all its problems, natural gas offers some clear environmental advantages over coal, which is used more than any other fuel to generate electricity in the United States. Coal-fired power plants without updated equipment to capture pollutants are a major

source of radioactive pollution. Coal mines annually produce millions of tons of toxic waste.

But the hazards [associated](#) with natural-gas production and drilling are far less understood than those associated with other fossil fuels, and the regulations have not kept pace with the natural-gas industry's expansion.

Pennsylvania, Ground Zero

Pennsylvania, which sits atop an enormous reserve called the Marcellus Shale, has been called the Saudi Arabia of natural gas.

This rock formation, roughly the size of Greece, lies more than a mile beneath the Appalachian landscape, from Virginia to the southern half of New York. It is believed to hold enough gas to supply the country's energy needs for heat and electricity, at current consumption rates, for more than 15 years.

Drilling companies were issued roughly 3,300 Marcellus gas-well permits in Pennsylvania last year, up from just 117 in 2007.

This has brought thousands of jobs, five-figure windfalls for residents who lease their land to the drillers and revenue for a state that has struggled with budget deficits. It has also transformed the landscape of southwestern Pennsylvania and brought heavy burdens.

Drilling derricks tower over barns, lining rural roads like feed silos. Drilling sites bustle around the clock with workers, some in yellow hazardous material suits, and 18-wheelers haul equipment, water and waste along back roads.

The rigs announce their presence with the occasional boom and quiver of underground explosions. Smelling like raw sewage mixed with gasoline, drilling-waste pits, some as large as a football field, sit close to homes.

Anywhere from 10 percent to 40 percent of the water sent down the well during hydrofracking returns to the surface, [carrying](#) drilling chemicals, very high levels of salts and, at times, naturally occurring radioactive material.

While most states require drillers to dispose of this water in underground storage wells below impermeable rock layers, Pennsylvania has [few such wells](#). It is the only state that has allowed drillers to discharge much of their waste through sewage treatment plants into rivers.

Regulators have theorized that passing drilling waste through the plants is safe because most toxic material will settle during the treatment process into a sludge that can be trucked to a landfill, and whatever toxic material remains in the wastewater will be diluted when mixed into rivers. But some plants were taking such large amounts of waste with high salt levels in 2008 that downstream utilities started complaining that the river water was eating away at their machines.

Regulators and drilling companies have said that these cases, and others, were isolated.

"The wastewater treatment plants are effective at what they're designed to do — remove material from wastewater," said Jamie Legenos, a spokeswoman for the Pennsylvania Department of Environmental Protection, adding that the radioactive material and the salts were being properly handled.

Overwhelmed, Underprepared

For proof that [radioactive](#) elements in drilling waste are not a concern, industry spokesmen and regulators often point to the results of wastewater tests from a 2009 draft report conducted by New York State and a [1995 report](#) by Pennsylvania that found that radioactivity in drilling waste was not a threat. These two reports were based on samples from roughly 13 gas wells in New York and 29 in Pennsylvania.

But a review by The Times of more than 30,000 pages of federal, state and company records relating to more than 200 gas wells in Pennsylvania, 40 in West Virginia and 20 public and private wastewater treatment plants offers a fuller picture of the wastewater such wells produce and the threat it poses.

Most of the information was drawn from drilling reports from the last three years, obtained by visiting regional offices throughout Pennsylvania, and from [documents](#) or databases provided by state and federal regulators in response to records requests.

Among The Times's findings:

¶More than 1.3 billion gallons of wastewater was produced by Pennsylvania wells over the past three years, far more than has been previously disclosed. Most of this water — enough to cover Manhattan in three inches — was sent to treatment plants not equipped to remove many of the toxic materials in drilling waste.

¶At least 12 sewage treatment plants in three states accepted gas industry wastewater and discharged waste that was only partly treated into rivers, lakes and streams.

¶Of more than [179 wells](#) producing wastewater with high levels of radiation, at least 116 reported levels of radium or other radioactive materials 100 times as high as the levels set by federal drinking-water standards. At least [15 wells](#) produced wastewater carrying more than 1,000 times the amount of radioactive elements considered acceptable.

Results came from [field surveys](#) conducted by state and federal regulators, year-end reports filed by drilling companies and state-ordered tests of some public treatment plants. Most of the tests measured drilling wastewater for radium or for “gross alpha” radiation, which typically comes from radium, uranium and other elements.

Industry officials say they are not concerned.

“These low levels of radioactivity pose no threat to the public or worker safety and are more a public perception issue than a real health threat,” said James E. Grey, chief operating officer of Triana Energy.

In interviews, industry trade groups like the Marcellus Shale Coalition and Energy in Depth, as well as representatives from energy companies like Shell and Chesapeake Energy, said they were producing far less wastewater because they were recycling much of it rather than disposing of it after each job.

But even with recycling, the amount of wastewater produced in Pennsylvania is expected to increase because, according to industry projections, more than 50,000 new wells are likely to be drilled over the next two decades.

The [radioactivity](#) in the wastewater is not necessarily dangerous to people who are near it. It can be blocked by thin barriers, including skin, so exposure is generally harmless.

Rather, E.P.A. and [industry researchers](#) say, the bigger danger of radioactive wastewater is its potential to contaminate drinking water or enter the food chain through fish or farming. Once radium enters a person's body, by eating, drinking or breathing, it can

cause cancer and other health problems, many federal studies show.

Little Testing for Radioactivity

Under federal law, testing for radioactivity in drinking water is required only at drinking-water plants. But federal and state regulators have given nearly all drinking-water intake facilities in Pennsylvania permission to test only once every six or nine years.

The Times reviewed data from more than 65 intake plants downstream from some of the busiest drilling regions in the state. Not one has tested for radioactivity [since 2008](#), and most have not tested since at least 2005, before most of the drilling waste was being produced.

And in 2009 and 2010, public sewage treatment plants directly upstream from some of these drinking-water intake facilities [accepted](#) wastewater that contained radioactivity levels as high as [2,122 times](#) the drinking-water standard. But most sewage plants are not required to monitor for radioactive elements in the water they discharge. So there is virtually no data on such contaminants as water leaves these plants. Regulators and gas producers have repeatedly said that the waste is not a threat because it is so [diluted](#) in rivers or by treatment plants. But industry and federal research cast doubt on those statements.

A confidential industry study from 1990, conducted for the American Petroleum Institute, concluded that “using conservative assumptions,” radium in drilling wastewater dumped off the Louisiana coast posed “potentially significant risks” of cancer for people who eat fish from those waters regularly.

The industry [study](#) focused on drilling industry wastewater being dumped into the Gulf of Mexico, where it would be far more diluted than in rivers. It also used estimates of radium levels far below those found in Pennsylvania’s drilling waste, according to the study’s lead author, Anne F. Meinhold, an environmental risk expert now at NASA.

Other federal, state and academic studies have also found dilution problems with radioactive drilling waste.

In December 2009, these very risks led E.P.A. scientists to advise in a letter to New York that sewage treatment plants not accept drilling waste with radium levels [12 or more times](#) as high as the drinking-water standard. The Times found wastewater containing radium levels that were [hundreds of times](#) this standard. The scientists also said that the plants should never discharge radioactive contaminants at levels higher than the drinking-water standard.

In 2009, E.P.A. scientists studied the matter and also determined that certain Pennsylvania rivers were ineffective at sufficiently diluting the radium-laced drilling wastewater being [discharged into them](#).

Asked about the studies, Pennsylvania regulators said they were not aware of them.

“Concerned? I’m always concerned,” said Dave Allard, director of the Bureau of Radiation Protection. But he added that the threat of this waste is reduced because “the dilutions are so huge going through those treatment plants.”

Three months after The Times began asking questions about radioactive and other toxic material being discharged into specific rivers, state regulators placed monitors for radioactivity near where drilling waste is discharged. Data will not be available until next month, state officials said.

But the monitor in the Monongahela is placed upstream from the two public sewage treatment plants that the state says are still discharging large amounts of drilling waste into the river, leaving the [discharges](#) from these plants unchecked and Pittsburgh exposed.

Plant Operators in the Dark

In interviews, five treatment plant operators said they did not believe that the drilling wastewater posed risks to the public. Several also said they were not sure of the waste's contents because the limited information drillers provide usually goes to state officials.

"We count on state regulators to make sure that that's properly done," said Paul McCurdy, environmental specialist at Ridgway Borough's public sewage treatment plant, in Elk County, Pa., in the northwest part of the state.

Mr. McCurdy, whose plant discharges into the Clarion River, which flows into the Ohio and Mississippi Rivers, said his plant was taking about 20,000 gallons of drilling waste per day.

Like most of the sewage treatment plant operators interviewed, Mr. McCurdy said his plant was not equipped to remove radioactive material and was not required to test for it.

Documents filed by drillers with the state, though, show that in 2009 his facility was sent water from wells whose wastewater was laced with radium at 275 times the drinking-water standard and with other types of radiation at more than 780 times the standard.

Part of the problem is that industry has outpaced regulators. "We simply can't keep up," said one inspector with the Pennsylvania Department of Environmental Protection who was not authorized to speak to reporters. "There's just too much of the waste."

"If we're too hard on them," the inspector added, "the companies might just stop reporting their mistakes."

Recently, Pennsylvania has tried to increase its oversight, doubling the number of regulators, improving well-design requirements and sharply decreasing how much drilling waste many treatment plants can accept or release. The state is considering whether to require treatment plants to begin monitoring for radioactivity in wastewater.

Even so, as of last November, 31 inspectors were keeping tabs on more than 125,000 oil and gas wells. The new regulations also allowed at least 18 plants to continue accepting the higher amounts set by their original permits.

Furthermore, environmental researchers from the University of Pittsburgh tested wastewater late last year that had been discharged by [two treatment plants](#). They say these tests will show, when the results are publicly released in March, that salt levels were far above the legal limit.

Lax Oversight

Drilling contamination is [entering the environment](#) in Pennsylvania through spills, too. In the past three years, at least 16 wells whose records showed high levels of radioactivity in their wastewater also [reported spills](#), leaks or failures of pits where hydrofracking fluid or waste is stored, according to state records.

Gas producers are generally left to police themselves when it [comes to spills](#). In Pennsylvania, regulators do not perform unannounced inspections to check for signs of spills. Gas producers report their own spills, write their own [spill response plans](#) and lead their own cleanup efforts.

A review of response plans for drilling projects at four Pennsylvania sites where there have been accidents in the past year found that these state-approved plans often appear to be in violation of the law.

At one well site where several [spills occurred](#) within a week, including one that flowed into a creek, the well's operator filed a [revised spill plan](#) saying there was little chance that waste would ever enter a waterway.

"There are business pressures" on companies to "cut corners," John Hanger, who stepped down as secretary of the Pennsylvania Department of Environmental Protection in January, has said. "It's cheaper to [dump](#) wastewater than to treat it."

Records back up that assertion.

From October 2008 through October 2010, regulators were more than twice as likely to issue a written warning than to levy a fine for environmental and safety violations, according to state data. During this period, 15 companies were fined for drilling-related violations in 2008 and 2009, and the companies paid an average of about \$44,000 each year, according to state data.

This average was less than half of what some of the companies earned in profits in a day and a tiny fraction of the more than \$2 million that some of them paid annually to haul and treat the waste.

And prospects for drillers in Pennsylvania are looking brighter.

In December, the Republican governor-elect, Tom Corbett, who during his campaign took more gas industry contributions than all his competitors combined, said he would reopen state land to new drilling, reversing a decision made by his predecessor, Edward G. Rendell. The change clears the way for as many as 10,000 wells on [public land](#), up from about 25 active wells today.

In arguing against a proposed gas-extraction tax on the industry, Mr. Corbett said regulation of the industry had been too aggressive.

"I will direct the Department of Environmental Protection to serve as a partner with Pennsylvania businesses, communities and local governments," Mr. Corbett says on his Web site. "It should return to its core mission protecting the environment based on sound science."

A version of this article appeared in print on February 27, 2011, on page A1 of the New York edition with the headline: Regulation Lax as Gas Wells' Tainted Water Hits Rivers.

FACEBOOK TWITTER GOOGLE+ EMAIL SHARE



Get 50% Off The New York Times & Free All Digital Access.

347 Comments

Share your thoughts.

ALL | READER PICKS | NYT PICKS

Newest | Comments Closed



Get Free E-mail Alerts on These Topics

Hydraulic Fracturing

Natural Gas

Water Pollution

Marcellus Shale

Ads by Google

what's this?

What is a Pugh Clause?

Marcellus Shale gas lease pooling explained. Free legal consultation.

www.marcellusexpert.com

INSIDE NYTIMES.COM



N.Y. / REGION »




Yale Students in Tangle Over Website

OPINION »

A Cap on Bonuses

The E.U. is trying to limit pay that rewards excessive risk by banks. Room for Debate asks: Should the U.S. do the same?

WORLD »



Court Calls Forth Memories of Massacre

DINING & WINE »



The Enemy Is Not Pinot Grigio

OPINION »

Op-Ed: Disarming the White House

Why the president must be able to make recess appointments.

SPORTS »



Encore, for a Curling Team and Its Pants

[Home](#) | [World](#) | [U.S.](#) | [N.Y. / Region](#) | [Business](#) | [Technology](#) | [Science](#) | [Health](#) | [Sports](#) | [Opinion](#) | [Arts](#) | [Style](#) | [Travel](#) | [Jobs](#) | [Real Estate](#) | [Autos](#) | [Site Map](#)

© 2012 The New York Times Company | [Privacy](#) | [Your Ad Choices](#) | [Terms of Service](#) | [Terms of Sale](#) | [Corrections](#) | [RSS](#) | [Help](#) | [Contact Us](#) | [Work With Us](#) | [Advertise](#)



OPEN

MORE IN U.S. (1 OF 34 ARTICLES)

Gay Marriages Confront Ca Rules

[Read More »](#)